



Mayor
Robert Dandoy
rdandoy@royutah.org
801-330-6320


City Council



Karlene Yeoman
kyeoman@royutah.org
801-725-6560



Dave Tafoya
dtafoya@royutah.org
801-884-6944



Bryon Saxton
bsaxton@royutah.org
801-645-2015



Jan Burrell
jburrell@royutah.org
801-726-3606



Joe Paul
jpaul@royutah.org
801-725-2356

News - Views & Reviews

May - June 2018

Get More Online: www.royutah.org

As the City Manager for our great city, I wanted to share with you some very important events and changes we are implementing and constructing. We have a lot of changes going on that I believe will benefit our City.

New Parking Lot & Restroom at the 6000 South Rio Grande Trail

We are so excited to announce the construction of our new Rio Grande walking/bike trail parking lot located on 6000 South at the trail. Thanks to everyone involved for making this happen. There is no doubt it will be a huge benefit to our city. The project will include a parking lot capable of holding 32 cars with access to the Rio Grande trail, two park benches, a bike service station with access to air and a great restroom facility.

Changes to 4800 South UTA Railway

The Utah Department of Transportation (UDOT), in conjunction with the Utah Transit Authority (UTA), have identified the railroad crossing at 4800 South and 2700 West as one of the most dangerous railroad crossings in the state of Utah. To improve the safety of this crossing, UDOT is reconstructing the traffic signal at the railway intersection. As part of the reconstruction project, the west bound left turn onto 2700 West will be required to instead use the roundabout located at 4800 south and 2900 West to access 2700 West. The flip side to this, which will be a benefit to those traveling East bound, is the fact that you will now be able to make a left hand turn onto 2675 West (which had been eliminated in years past). I know this may cause some to think we are making it more of an inconvenience to eliminate this left turn onto 2700 West by making you go to the roundabout, but it is a safety issue that we all should be concerned about.

www.standard.net/Local/2017/10/03/One-of-roy-Utahs-most-dangerous-rail-crossing-due-for-UDOT-safety-upgrade

The New George Whalen North Park

Work is in full swing at George Whalen North Park. The playground has been installed; we hope you have been enjoying it. The construction of the misting/splash pad and the pavilion are in progress. Grass seeding of the park will begin shortly. We are transitioning into the construction at the north end of the park and are hoping to have construction completed by the end of 2018. We will have a grand opening of the playground, splash pad, bowery and park at a later date.



Roy City listed as one of the Safest Communities to Live in Utah

The National Council for Home safety and Security has listed Roy City as one of the top 20 safest Cities to live in Utah in their latest 2018 report. The Beehive State is also one of the safest states in the nation. We are so excited to be such a safe community. If you would like to look at the study, please use the following link: www.alarms.org/safest-cities-in-utah-2018. The report was generated by data gathered based on a number of reported crimes and property crimes per 1000 people. These variables were then weighted, with other violent crimes accounting for 1.5 of the total than property crimes.

Roundabout Etiquette/Rules

Roy City has recently completed several roundabout intersections. Roundabouts in Roy City have been constructed using federal guidelines for roadway design. Compliance with these guidelines provides local traffic rules and driver expectations that are consistent throughout the United States. Roundabouts are designed to reduce the speed of traffic through the intersections without unnecessary stopping. This makes roundabouts safer and more efficient for drivers, pedestrians, and cyclists. Studies have found that roundabouts are typically a safer alternative to traffic signals and stop signs.

Here are some tips for driving safely through roundabouts intersections:

- Slow down as you approach the roundabout and drive no faster than the posted advisory speed. Watch for pedestrians in the crosswalk and yield to pedestrians when present.
- Look to your left as you near the yield sign and the dashed yield line
- Yield to traffic already in the roundabout, stopping if necessary.
- Once you see a gap in traffic, enter the circle and proceed to your exit. If there is no traffic in the roundabout, you may enter without stopping.
- As you proceed through the roundabout, stay in your lane.
- Avoid driving next to large trucks with trailers which may need a larger turning radius than provided by the single traffic lane.
- Look for pedestrians and use your turn signal before you exit.

We are excited about all the new changes. Thank you for making a great place to live and work.

Jason Poulsen, City Manager

2017 Quality on Tap Report for Roy City



CONSUMER CONFIDENCE REPORT

We're pleased to present you this year's Annual Water Quality Report. This report is designed to inform you about our excellent water quality and services we have delivered to you over the past year. Our goal is and always has been to provide to you a safe and dependable supply of drinking water. Our water sources are 4 deep wells, and contracted water from Weber Basin Water Conservancy District.

We're pleased to report that our drinking water met federal and state requirements during 2017. This report discloses our water quality and what it means to you, our customer.

In August 2017, 40 routine water samples were rejected by the Division of Drinking Water due to an improper form submitted by the testing lab. Those samples tested negative for total chloroform and E-coli even though they were rejected for the paper work failure. Therefore, we are totally confident that our water is and always has been totally safe to drink and has never had a health safety issue.

The Drinking Water Source Protection Plan for Roy City is available for your review. It contains information about source protection zones, potential contamination sources, and management strategies to protect our drinking water. Potential contamination sources common in our protection areas are gas stations, lawn care companies, and Hill Air Force Base's underground contamination. Additionally, our wells have a low susceptibility to potential contamination. We have also developed management strategies to further protect our sources from contamination.

If you have any questions about this report or concerning your water utility, please contact the Roy City Public Works office at (801) 774-1090, address 5460 South 2700 West, Roy, Utah 84067. We want our customers to be informed about their water utility. If you would like to attend any of our regularly scheduled City Council meetings, they are held on the first and third Tuesday of each month, 6:00 p.m., at the Roy City Municipal Center, address 5051 South 1900 West, Roy, Utah 84067.

Roy City routinely monitors for contaminants in our drinking water in accordance with the Federal and Utah State laws. EPA requires monitoring of over 80 drinking water contaminations. Those contaminants listed in the table below are the contaminants detected in our drinking water, and shows the results of our monitoring for the period of January 1 to December 31, 2017.

DEFINITIONS

Non-Detects (ND): laboratory analysis indicates that the contaminant is not present.

ND/Low-High: for water systems that have multiple sources of water, the Utah Division of Drinking Water has given water systems the option of listing the test results of the contaminants in one table, instead of multiple tables. To accomplish this, the lowest and highest values detected in the multiple sources are recorded in the same space in the report table.

Parts per million (ppm) or Milligrams per liter (mg/L): one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (ug/L): one part per billion corresponds to one minute in 2,000 years or a single penny in \$10,000,000.

Picocuries per liter (pCi/L): a measure of the radioactivity in water.

Action Level (AL): the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT): a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL): the "maximum allowed" is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG): the "goal" is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS

Contaminant	Violation Y/N	Level Detected	Unit Measurement	MCLG	MCL	Date Sampled	Likely Source of Contamination
MICROBIOLOGICAL CONTAMINANTS							
Total Coliform Bacteria	N	ND	ug/L	0	80	2017	Naturally present in the environment
RADIOACTIVE CONTAMINANTS							
Gross Alpha Particles	N	0 – 0.2	pCi/L	0	15	2017	Erosion of natural deposits
Combined Radium	N	0.4 – 0.5	pCi/L	0	5	2017	Erosion of natural deposits
RADON							
Radon 228	N	.42	pCi/L	0	NA	2017	Erosion of natural deposits
INORGANIC CONTAMINANTS							
Antimony	N	ND	ppb	6	6	2015	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Arsenic	N	ND – 1.2	ppb	NA	10	2017	Erosion of natural deposits; runoff from orchards

Barium	N	0.08 - 0.026	ppm	2	2	2017	Discharge of drilling wastes; discharge from metal plating
Chromium	N	ND-0.001	ppm	0.1	0.1	2016	Discharge from steel and pulp mills; natural erosion
Copper	N	ND - 0.869	ppm	1.3	1.3	2015	Corrosion of household plumbing system; erosion of natural deposits; leaching from wood preservatives
Fluoride	N	0.1-0.2	ppm	4	4	2015	Erosion of natural deposits
Lead	N	ND - 0.0136	ppm	0	0.015	2015	Corrosion of household plumbing system; erosion of natural deposits
Mercury	N	ND	ppm	.002	.002	2016	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills, runoff from cropland
Nitrate	N	0.1-1.6	ppm	10	10	2017	Runoff from fertilizer use; Erosion of natural deposits
Selenium	N	0.6 – 2.1	ppb	50	50	2017	Erosion of natural deposits; discharge from mines
Sodium	N	19.6 – 38.6	ppm	None set by EPA	None set by EPA	2017	Erosion of natural deposits
Sulfate	N	25 - 48	ppm	1000	1000	2017	Erosion of natural deposits; discharge from refineries
Thallium	N	ND – 1.0	ppb	.5	2	2017	Leaching from ore-processing sites; discharge from electronics, glass, and drug factories
Total Dissolved Solids	N	300-416	ppm	NA	2000	2017	Erosion of natural deposits
VOLATILE ORGANIC CONTAMINANTS							
Total Trihalomethanes	N	26.1	ug/l	0	80	2017	By-product of drinking water chlorination
Haloacetic Acids	N	17.8	ug/L	0	60	2016	By-product of drinking water chlorination
UNREGULATED CONTAMINANTS							
Contaminant	Level Detected	Unit Measurement	Date Sampled	Contaminant	Level Detected	Unit Measurement	Date Sampled
Chloroform	0.7	ug/L	2017	Dibromomethane	ND	ug/L	2017
Bromoform	ND	ug/L	2017	Bromochloromethane	ND	ug/L	2017
Dibromochloromethane	ND	ug/L	2017				

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

All sources of drinking water are subject to potential contamination by contaminants that are naturally occurring or are man-made. Those contaminants can be microbes, organic or inorganic chemicals, or radioactive materials. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised person such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

We at the Roy City Water Department, (801) 774-1090, work around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life, and our children's future.

In addition to the sampling outlined in the table above, we have also sampled for 21 Volatile Organic Chemicals, 28 Pesticides, 35 Unregulated Organic Chemicals, and 10 Unregulated Pesticides. These additional chemicals were not detected in our water. The following contaminants are regulated more closely: Arsenic, Lead, Nitrate, Radon, and Cryptosporidium. Notice of any detection is required.

Roy City Semi Annual Rabies Clinic & Licenseing

**Roy Fire Department 5051 W. 1900 S.
June 9, 2018 from 9:00 A.M. – 11:00 A.M.**

Rabies cost (exact cash only) \$10.00

2018 Roy City Animal Licensing

Under 1 year \$15.00

Spayed/Neutered \$15.00

Not spayed/Neutered \$30.00

Animal owned by seniors (55+)

Spayed/neutered \$10.00

Not spayed/neutered \$20.00

Roy City Laws and Ordinances For Dog & Cats

**Only 2 dog and 2 cats per household in city limits **

Roy city requires all dogs and cats to be licensed

Help speed up the process by keeping your old tag and having your license renewal forms ready

Contact Roy City Animal Control at **801-774-1076** with any questions or concerns.

Memorial Day Cemetery Maintenance Schedule

In preparation for Memorial Day, grave decorations will be removed on Thursday, May 24 for mowing and maintenance. Decorations will not be removed again by city crews until Thursday, June 7 to allow them to be displayed the week of Memorial Day. Please be sure to remove decorations by Wednesday, June 6th, to avoid having them disposed of. For more information, please call 801-774-1040.

Meter Reading

Residential water meters are not read during the winter months; therefore an average amount of water usage is billed for the January & March billings with new homeowners being averaged at 18,000 gallons. Any adjustments are reflected on this billing.

Roy WFFL Tackle Football Registration

Children ages 7 (As of Aug. 31, 2018) to 14 years old
Child must be present to register | \$135 Registration Fee

- Saturday, June 2nd 9:00am-12:00pm
(PHYSICALS OFFERED \$10.00)
- Monday, June 4th 9:00am-5:00pm
- Wednesday, June 13th 9:00 am-7:00pm
- Monday, June 18th 9:00 am-7:00pm
- Saturday, June 30th 9:00am-12:00pm

Must provide the participant's birth certificate, guardian I.D., and proof of residency (utility or gas bill), player physical, and completed registration packet. **YOU WILL NOT BE ALLOWED TO REGISTER WITHOUT ALL OF THE CURRENT PAPERWORK**

Contact: Lizzy Badger, 801-774-1048, ebadger@royutah.org
More info and registration packet at:
www.royutah.org/304/Youth-Tackle-Football

Roy City Flag Football

Register June 1-August 1 for grades Kindergarten-9th grade
\$55 registration fee
Contact: Lizzy Badger, 801-774-1048, ebadger@royutah.org

AYSO Soccer Fall 2018-Spring 2019

Early Bird Registration is \$80 on May 1-May 31

On June 1, registration goes up to \$100 and will be open until teams are full. Register or get more information, visit RoySoccer.com.

Senior Corner

Spring Fashion Show

Thursday, May 10 at 1:00 p.m. | \$3.00 per person
Reservations required. Space limited. Sign up at the front desk.
Bingo at 12:30 p.m.

May 1, May 16, May 24, June 5, June 20 & June 28

Agewise Convention

May 17, 9:00 a.m. - 1:30 p.m., Ogden Eccles Conference Center
Cost: \$15, Breakfast and Lunch included
Registration forms at Senior Center. Call 801-625-3770 for info.

Shredding Event

Friday, June 8, 9:00 a.m. - 11:00 a.m., Senior Center Parking Lot

Weber County Senior Picnic

Sand Ridge Park in Roy, UT, Tickets available after June 1
\$3.00 includes Lunch & Entertainment

Pinochle

Tuesdays at 12:30 p.m.
We are looking for single deck pinochle players.

Please check with the front office. We add new things every week!! Questions? Please call 801-773-0860

Roy Days

Roy Days 2018 is MILITARY STRONG! We are very excited about all the fun events and activities city staff has planned for our awesome town. The July/August newsletter will be dedicated to Roy days with a full event line up. Visit the official Roy Days website at www.roydays.info for more information. Questions? Contact Roy Recreation Department at 801-774-1048. **www.roydays.info**

Booth Vendors: Spots are filling up! Hurry and submit your vendor application on our Roy days website.

Parade Applications: We have limited our parade entries to 100. Hurry and submit your application and fee. You don't want to miss out on one of the best parades around!

Roy City Administrative Office

5051 South 1900 West | Roy, UT 84067
Phone: (801) 774-1020

Summer Hours: May 29 - August 18

Monday - Thursday: 7:30am - 5:30pm

Friday: 7:30am - 11:30am